

# Clay Roof Tiles - Standard Weight

## TILE COLLECTION



# Clay Roof Tiles

- Cool Roof and Energy Star Rated
- Strong Warranty\*
- Energy Benefits
- Cradle to Cradle - Gold Certified
- 100% Recyclable
- Good for Reroof or New Construction



Natural  
& Extensive  
Color Offering



Cover: Monarch Newport Blend

\*Please refer to the Clay Limited Product Warranty;  
details found on our website at [www.boralroof.com](http://www.boralroof.com)

## BORAL'S INNOVATIVE PRODUCTS ARE SUSTAINABLE, DURABLE AND BEAUTIFUL



Boral Products are featured  
in the VISION House®  
in INNOVENTIONS  
presented by  
Green Builder® Media  
This green home exhibit is  
located in INNOVENTIONS  
at Epcot® at the Walt Disney  
World® Resort.



**Popular Mechanics' Winner  
2011 Breakthrough Award**  
The year's 10 Most  
Transformative Products

HOME AND HARDWARE  
BoralPure® Technology  
Smog Eating Concrete Tile

**2012 Best New Product  
Edison Gold Award  
Winner**

MATERIAL SCIENCE  
Safety & Sustainability  
BoralPure® Technology  
Smog Eating Concrete Tile







## Why Clay?

### Design Style

Boral Roofing has the most extensive choice of profiles and styles of clay roofing tiles in the nation, ranging from traditional mission style barrel tiles to flat tiles that deliver the aesthetics of natural slate and wood shake. The unique design of our lightweight tile products allow for a wide variety of installation options including staggering, boosting, serpentine patterns and much more.

### Durability

Clay tile is known for its long-term durability and longevity. Boral's modern manufacturing techniques enhance this durability, giving customers a roofing product that is sure to last.

### Sustainability

Boral is the only roof tile manufacturer to receive the prestigious Cradle to Cradle Gold sustainability certification. Our clay tiles

are truly sustainable and do not cause harm to the environment for the life of the product. Our clay roofing products are made with up to 59% recycled raw materials and are 100% recyclable.

### Value

Clay tile has proven its durability, longevity and aesthetic appeal over thousands of years. Boral offers a wide range of clay roofing products to fit any budget. From traditional mission tile designs to slate and shake flat profiles, Boral has a clay tile roofing product to meet any project's style and budget.

### The Right Roof for the Right Climate

If you live in a climate that experiences full winter weather, consider our products that meet Grade 1 standards per ASTM C1167. If you live in a warmer climate, choose any of our standard weight or lightweight products.

#### In Stock

This product is kept in stock at the plant and is available for immediate pick up. You can call customer service to confirm product quantities before arriving.


#### Made To Order

Minimum order quantity is 25 squares. This product will be custom made per your order quantity and will be ready for pick up from our plant in two to three weeks from your order date.



Choose from one of our many cool roof rated tiles that will improve the energy efficiency by reflecting sunlight and heat away from your roof. When these are combined with our Elevated Batten System, they will provide reduced cooling costs and they may even qualify for local rebates. The Cool Roof Rating Council (CRRC) measures the "coolness" of a roof by determining a roof's solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product's initial values and after three years of weather exposure. Boral Roofing manufactures products that meet CRRC guidelines, allowing homeowners in some regions to receive utility rebates. Boral Roofing's products that are CRRC rated help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For current product ratings please visit our website at [www.boralroof.com](http://www.boralroof.com) and click on CRRC logo on the home page.


## 2-Piece Mission



First appearing in the bronze-age on the temple roofs of kings, and refined through fire-baking by the ancient Greeks, two-piece clay tiles have been the ultimate roofing product for millennia.

Our highly refined modern manufacturing techniques have enabled Boral to improve on the ageless tradition and style of traditional two-piece clay tile design, and deliver color fast, durable products.



2-Piece Mission Tile meets Grade 1 standards per ASTM C1167.




Coverage	Installed Weight / Square
At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,000 lbs.








**Madera Blend**   59%

tops: 1UADU3107 / pans: 1UBDU6078





**Red**   59%


tops: 1UADU7025 / pans: 1UBDU7025





CRRC ID# – 0942-0129  
Reflectance: 0.42 / Emittance: 0.85 / SRI: 46

**El Camino Blend**   59%


tops: 1UADU6073 / pans: 1UBDU7025





CRRC ID# – 0942-0138a  
Reflectance: 0.28 / Emittance: 0.84 / SRI: 27


**Carmel Blend**   49%

tops: 1UADU0075 / pans: 1UBDU0073





**Tuscany Blend**   59%


tops: 1UADU6075 / pans: 1UBDU6075



CRRC ID# – 0942-0156a  
Reflectance: 0.22 / Emittance: 0.86 / SRI: 20

**Palermo Blend**   59%

tops: 1UADU6081 / pans: 1UBDU7025





**Mallorca**   49%

tops: 1UADU6080 / pans: 1UBDU6080



CRRC ID# – 0942-0130  
Reflectance: 0.53 / Emittance: 0.86 / SRI: 61

**Fire Flash**   59%

tops: 1UADU6074 / pans: 1UBDU7025



CRRC ID# – 0942-0157a  
Reflectance: 0.25 / Emittance: 0.85 / SRI: 23

**Newport Blend**   59%

tops: 1UADU7040 / pans: 1UBDU6075




CRRC ID# – 0942-0160a  
Reflectance: 0.19 / Emittance: 0.86 / SRI: 16

2-Piece Mission

Old World #1

tops: 1UADU0073 / pans: 1UBDU0073



CRRC ID# – 0942-0158a  
Reflectance: 0.43 / Emittance: 0.84 / SRI: 47

Bermuda Blend


tops: 1UADU0074 / pans: 1UBDU6080



CRRC ID# – 0942-0131b  
Reflectance: 0.42 / Emittance: 0.84 / SRI: 45

Rustic Newport

tops: 1UADI7040 / pans: 1UBDU6075



Old World #2


tops: 1UADU6078 / pans: 1UBDU6078



CRRC ID# – 0942-0161a  
Reflectance: 0.29 / Emittance: 0.84 / SRI: 28


Turino Blend

tops: 1UADU6082 / pans: 1UBDU6080



Rustic Palermo

tops: 1UADI6081 / pans: 1UBDU7025



Old World #3


tops: 1UADU3114 / pans: 1UBDU6078



CRRC ID# – 0942-0159a  
Reflectance: 0.30 / Emittance: 0.85 / SRI: 30


Rustic Carmel

tops: 1UADI0075 / pans: 1UBDU0073



Rustic Madera

tops: 1UADI3107 / pans: 1UBDU6078







Old World Custom Blends



Select Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralroof.com](http://www.boralroof.com) and click on CRRC logo on the home page.




Recycled Content – percentage of pre-industrial content.






## 2-Piece Monarch



Capturing the aesthetics of traditional, small barrel, high-arch clay tile, 2-Piece Monarch tile incorporates the modern manufacturing techniques perfected by Boral.

Monarch is designed for discriminating designers who want the beauty of a traditional Old World style combined with the strength, durability and consistency of modern manufacturing techniques that only Boral can deliver.



Coverage	Installed Weight / Square
At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,070 lbs.



*2-Piece Monarch tile delivers superior durability and consistency without compromising true, kiln-fired looks.*





### Madera Blend



59%

tops: 1UCDU3107 / pans: 1UDDU3107



### Newport Blend



59%

tops: 1UCDU7040 / pans: 1UDDU7040



CRRRC ID# – 0942-0160a  
Reflectance: 0.19 / Emittance: 0.86 / SRI: 16

### Turino Blend



tops: 1UCDU6082 / pans: 1UDDU6081



### Carmel Blend



49%

tops: 1UCDU0075 / pans: 1UDDU3107



### Palermo Blend



59%

tops: 1UCDU6081 / pans: 1UDDU6081



*The 2-Piece Monarch small barrel profile captures the aesthetics of traditional European styling.*




Select Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralroof.com](http://www.boralroof.com) and click on CRRRC logo on the home page.




Recycled Content – percentage of pre-industrial content.

 In Stock




# 1-Piece “S” Tile



The modern design of our 1-Piece “S” Tile combines the cap and pan of a two-piece system into a single piece, delivering the same traditional aesthetics using fewer tiles, saving cost and installation time.

Made from the same natural clays and kiln-fired colors, our “S” Tile products are true to their roots, allowing custom roofscape options such as boosting, while maintaining the rich beauty and durability of clay at a substantially lower price.

1-Piece “S” Tile meets Grade 1 standards per ASTM C1167.



Coverage	Installed Weight / Square
At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 800 lbs.



Select Boral Roofing clay products meet or exceed Energy Star requirements.




For current product ratings please visit our website at [www.boralroof.com](http://www.boralroof.com) and click on CRRC logo on the home page.




Recycled Content – percentage of pre-industrial content.



**Turino Blend** ♣️ ♻️ 49%  
1USDU6082




**El Camino Blend** ♣️ ♻️ 59%  
1USDU6073




CRRC ID# – 0942-0138a  
Reflectance: 0.28 / Emittance: 0.84 / SRI: 27

**Mallorca** ♣️ ♻️ 49%  
1USDU6080




CRRC ID# – 0942-0130  
Reflectance: 0.53 / Emittance: 0.86 / SRI: 61

**Carmel Blend** ♣️ ♻️ 49%  
1USDU0075




**Newport Blend** ♣️ ♻️ 59%  
1USDU7040




CRRC ID# – 0942-0160a  
Reflectance: 0.19 / Emittance: 0.86 / SRI: 16

**Red** ♣️ ♻️ 59%  
1USDU7025




CRRC ID# – 0942-0129  
Reflectance: 0.42 / Emittance: 0.85 / SRI: 46


**Madera Blend** ♣️ ♻️ 59%  
1USDU3107



**Palermo Blend** ♣️ ♻️ 59%  
1USDU6081



**Fire Flash** ♣️ ♻️ 59%  
1USDU6074



CRRC ID# – 0942-0157a  
Reflectance: 0.25 / Emittance: 0.85 / SRI: 23

1-Piece “S” Tile

Old World #1

1USDU0073



CRRC ID# – 0942-0158a  
Reflectance: 0.43 / Emittance: 0.84 / SRI: 47

Bermuda Blend

1USDU0074



CRRC ID# – 0942-0131b  
Reflectance: 0.42 / Emittance: 0.84 / SRI: 45


Rustic Madera

1USDI3107



Old World # 2


1USDU6078



CRRC ID# – 0942-0161a  
Reflectance: 0.29 / Emittance: 0.84 / SRI: 28

Tuscany Blend


1USDU6075



CRRC ID# – 0942-0156a  
Reflectance: 0.22 / Emittance: 0.86 / SRI: 20


Rustic Newport

1USDI7040



Old World #3


1USDU3114



CRRC ID# – 0942-0159a  
Reflectance: 0.30 / Emittance: 0.85 / SRI: 30


Rustic Carmel

1USDI0075



Rustic Palermo

1USDI6081






**Old World Tri Blend** ♻️ 49%  
Custom Blend



33% Old World #1; 33% Old World #2  
33% Old World #3

**De Anza Blend** ♻️ 59%  
Custom Blend




80% El Camino; 10% Fire Flash; 10% Mallorca

**NOTE:** Custom blends are sold as individual colors and must be blended on the roof by the installer.



*Newport & Madera Blend*

# Romano Pans



Romano Pans were one of the earliest profiles of clay tile used for roofing by the ancient Greeks. Featuring a flat bottom pan with raised sides that are capped with traditional clay tile tops, Romano Pans represent classical European aesthetics and style and allow for design flexibility.

Romano Pans also come in cool roof colors and can be used with 2-Piece Mission or Monarch Tops.

Coverage	Installed Weight / Square
At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area.	Approx: 990 lbs.



**Red**

 59%

1URDU7025

CRRC ID# – 0942-0129  
 Reflectance: 0.42 / Emittance: 0.85 / SRI: 26

**El Camino Blend**

 59%

1URDU6073

CRRC ID# – 0942-0138a  
 Reflectance: 0.20 / Emittance: 0.84 / SRI: 27



Select Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralroof.com](http://www.boralroof.com) and click on CRRC logo on the home page.




Recycled Content – percentage of pre-industrial content.



## Faux Mission Installation Technique

The “Faux Mission” installation technique gives architects, builders and homeowners the superior aesthetics of a traditional two-piece clay tile roof at an affordable price.

We carefully designed our “S” Tile and our traditional 2-Piece Mission tile profiles to fit together, allowing a custom installation that provides the aesthetics of a traditional two-piece tile while capturing the cost saving benefits of an “S” Tile. The 2-Piece Mission tile is installed at the eave where the details of the roof are most visible. The “S” Tiles are then installed on the rest of the roof for a much quicker and easier installation than a traditional two-piece tile roof.



## GO WITH THE BEST



Boral Products are featured in the **VISION House®** at **INNOVENTIONS** presented by **Green Builder® Media**.

This green home exhibit is located in INNOVENTIONS at Epcot® at the Walt Disney World® Resort.

### Popular Mechanics' Winner



**2011 Breakthrough Award for Home and Hardware**  
BoralPure® Technology  
Smog Eating Concrete Tile

### Edison Gold Award Winner



**2012 Best New Product in Safety & Sustainability**  
BoralPure® Technology  
Smog Eating Concrete Tile

### ABOUT BORAL ROOFING

Boral Roofing is a subsidiary of Boral USA and is the country's largest premium provider of complete roofing and re-roofing solutions for architects as well as commercial and residential builders. Boral Roofing operates 15 clay and concrete tile manufacturing plants throughout the U.S. and Mexico.

### ABOUT BORAL USA

Headquartered in Roswell, Georgia, Boral USA through its subsidiaries employs approximately 1,500 individuals at more than 140 operating and distribution sites across the United States. The U.S. operations include the country's largest brick manufacturer and the largest clay and concrete roof tile manufacturer.

### Build something great™ with Boral®

Roof Tiles | Roof Accessories | Bricks | Trim | Stone  
[www.boralna.com](http://www.boralna.com)



### Sales Offices

**Phoenix, ARIZONA**  
**Corona, CALIFORNIA**  
**Gilroy, CALIFORNIA**  
**Lathrop, CALIFORNIA**  
**Stockton, CALIFORNIA**  
**Rialto, CALIFORNIA**  
**Denver, COLORADO**  
**Pompano Beach, FLORIDA**

**Lake Wales, FLORIDA**  
**Atlanta, GEORGIA**  
**Kapolei, HAWAII**  
**Kansas City, MISSOURI**  
**Henderson, NEVADA**  
**Katy, TEXAS**  
**Tacoma, WASHINGTON**

### Corporate Office

**Boral Roofing**  
200 Mansell Court East, Suite 310  
Roswell, GA 30076

### Western Office

**Boral Roofing**  
7575 Irvine Center Drive, Ste. #100  
Irvine, CA 92618

### Customer Service

800 669 TILE (8453)



Download a QR Code reader app for your smartphone, then take a photo to visit our website  
[www.boralroof.com](http://www.boralroof.com)

©2012 Boral Roofing LLC BR037-8/12



The Boral Logo is a trade mark of Boral Limited or its affiliates and may be registered in many jurisdictions worldwide.

